

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1430 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/541,248	07/01/2005	Omid Kermani	49102	4948
1609 ROYLANCE.	7590 02/12/200 ABRAMS, BERDO &	EXAMINER		
1300 19TH STREET, N.W.			HEINRICH, SAMUEL M	
SUITE 600 WASHINGTON,, DC 20036			ART UNIT	PAPER NUMBER
			3742	
			MAIL DATE	DELIVERY MODE
			02/12/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.	Applicant(s)				
10/541,248	KERMANI, OMID				
Examiner	Art Unit				
Samuel M. Heinrich	3742				

	Samuel M. Heinrich	3742				
The MAILING DATE of this communication appe	ears on the cover sheet with the o	orrespondence ad	dress			
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1,136(a). In or event, however, may a reply be timely filed after SIX (6) MONTHS from the making date of this communication. If NO profit or reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the making date of this communication. Failure to reply within the soft or scheduled period for reply and will expire SIX (6) MONTHS from the making date of this communication. Failure to reply within the soft or scheduled period for reply will by statute, cause the application to become ADAMONED (SI U.S.C., § 133). For example, the state of the scheduled period for reply will be stated as a scheduled period for reply will be stated as a scheduled period for reply will be stated as a scheduled period for reply will be stated as a scheduled period for reply as a scheduled period						
Status						
1) Responsive to communication(s) filed on 10 De	cember 2008.					
2a) ☐ This action is FINAL. 2b) ☐ This	action is non-final.					
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-22 is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	m from consideration					
5) Claim(s) is/are allowed.	II II III COnsideration.					
6) Claim(s) 1-22 is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement					
o) Claim(o) are subject to rectributer and or	cicolori requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner						
10)⊠ The drawing(s) filed on <u>01 July 2005</u> is/are: a)∑	☑ accepted or b)☐ objected to b	by the Examiner.				
Applicant may not request that any objection to the d	rawing(s) be held in abeyance. See	a 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PT	O-152.			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	oriority under 35 U.S.C. § 119(a))-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:						
 Certified copies of the priority documents 	1. Certified copies of the priority documents have been received.					
Certified copies of the priority documents	have been received in Applicati	on No				
Copies of the certified copies of the priori	ty documents have been receive	ed in this National	Stage			
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				

Attachment(s)	
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)
Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date
3) Information Disclosure Statement(s) (PTO/S5/08)	 Notice of Informal Patent Application
Paper No(s)/Mail Date .	6) Other:

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

Paper No(s)/Mail Date _____

Art Unit: 3742

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (AAPA) in view of US20080220469A1 to Heid et al in view of USPN 5.720.894 to Neev et al.

AAPA describes (Specification, Background of the Invention, [0002]-[0010]) well known microtomy and describe use of laser microdissection.

Heid et al describe [0018] tissue sample slices formed with "a microtome with a knife" and describe "laser beam or another method for producing tissue slices can also be used".

Neev et al describe (Abstract) biological tissue removal using a laser with pulse duration of "about 1 fs to less than 50 ps".

The instant claimed apparatus and methods would have been obvious at the time applicant's invention was made to a person having ordinary skill in the art because laser microtomy is known and laser pulse rate in applicant's claimed range is well known for biological tissue removal.

Claims 10, 11, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (AAPA) in view of US20080220469A1

Art Unit: 3742

to Heid et al in view of USPN 5,720,894 to Neev et al as applied to claims 1 and 18 above, and further in view of USPN 5,241,607 to Launay et al.

Launay et al describe well known specimen slicing with a laser for optical microscopy and the use of optical microscopy would have been obvious at the time applicant's invention was made to a person having ordinary skill in the art because it provides thorough examination of sliced specimens.

Claims 10, 12, and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (AAPA) in view of US20080220469A1 to Heid et al in view of USPN 5,720,894 to Neev et al as applied to claim 1 above, and further in view of USPN 4,638,800 to Michel.

Michel describes (column 2, last paragraph) well known use of backscatter and the use thereof with laser slicing would have been obvious at the time applicant's invention was made to a person having ordinary skill in the art because it provides monitored process feedback for reproducible processing.

Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (AAPA) in view of US20080220469A1 to Heid et al in view of USPN 5,720,894 to Neev et al as applied to claims 14 and 18 above, and further in view of USPN 5,827,313 to Ream.

Ream describes (column 3, lines 46+) well known optical coherence tomography and laser ablation devices and the use would have been obvious at the time applicant's invention was made to a person having ordinary skill in the art for process feedback.

Art Unit: 3742

Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicant's Admitted Prior Art (AAPA) in view of US20080220469A1 to Heid et al in view of USPN 5,720,894 to Neev et al as applied to claim 14 above, and further in view of USPN 4,132,328 to Zundel.

Zundel describes (Abstract) first and subsequent severed sections and the use of such process steps would have been obvious at the time applicant's invention was made to a person having ordinary skill in the art because it provides controlled separation of a workpiece.

Response to Arguments

Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Art Unit: 3742

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel M. Heinrich whose telephone number is 571-272-1175. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tu B. Hoang can be reached on 571-272-4780. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Samuel M Heinrich/ Primary Examiner, Art Unit 3742